

SHIPMENT SPECIFICATION

TYPE E/SV-series
 MOLDED CHIP TANTALUM CAPACITOR
QUALITY STANDARD
GRADE

- ① NEC TOKIN recommends use of the device with standard quality grade in general electronic equipment like data processing and office equipment, communication equipment (trunk line), test and measurement equipment, audio and video equipment, other consumer products, etc.
- ② The device is not recommended for use in life support systems, aerospace equipment, submarine cables, nuclear reactor control systems, automotive and transportation equipment, train and traffic control devices, robots, burning control systems, other safety devices, etc., where high reliability is required.
- ③ If the device is to be used in the above equipment, please contact our sales people in advance.

- This specification includes intellectual properties and know-how of NEC TOKIN Corp., therefore, please don't use it for other purposes.
Also, please don't duplicate the specification, nor open the contents of it to third parties without permission of NEC TOKIN Corp.
- NEC TOKIN does not assume any liability for infringement of patents, copyrights or other intellectual property rights of third parties by or arising from use of the device described herein or any other liability arising from use of such device.
No license, either express, implied or others, is granted under any patents, copyrights or other intellectual property rights of NEC TOKIN corporation or of others.

CUSTOMER'S APPROVAL (upon the contents of this specification and above notices)

SOLUTION ENGINEERING DIVISION

NEC TOKIN Corporation

NOTE : Please contact with responsible NEC TOKIN person if you require any modifications of this specification

TITLE	Solid Tantalum Capacitor	CSY - L - 8846	3/27
Type	Molded Chip		

1. SCOPE

This specification covers the general requirements for molded tantalum chip capacitors (E/SV series) produced in Japan and in Thailand.

The E/SV series is lead-free product. Additionally, E/SV series is RoHS compliant, not containing cadmium, mercury, hexavalent chromium, PBB, or PBDE.

2. STRUCTURE




Fig.1 Structure

Revision A	Jun.14.'06	Initial release			
Solution Engineering Division			APPD.	CHK.	DRAW.
			k. Takeuchi	—	S. ofumura


3. PRODUCT LINE-UP

Table.1


μF \ V.dc	2.5V	4V	6.3V	10V	16V	20V	25V	35V
0.47					P	A2	A	A
0.68					P	A2	A	A
1				J,P	J,P	A2	P,A2,A	A2,A
1.5			P	J,P	A	A2		A
2.2			J	J,P	P,A2,A	P,A2,A	A	A,B2
3.3		P	J	J,P,A2	A2,A	A2,A,B3	A,B2	B3,B2
4.7			J,P,A	J,P,A2,A	A2,A	A2,A,B3,B2	B3,B2	C
6.8		J	J,P,A2	A2,A	A,B3	B3,B2		C
10	J	J,P	J,P,A2,A,B2	P,A2,A,B2	A,B3,B2	B2	C2,C	C,D
15	J	P	P,A2,A	A2,B3	A,B2	C	C	D
22	P,A2	P,A2,A	P,A2,A,B3,B2	A,B3,B2	B3,B2,C,D	C2,C,D	D	
33	P,A2	P,A2,A	A2,A,B3	B3,B2	B2,C2,C	D	D	
47	P,A2,A	P,A2,A,B3	A,B3,B2,C	B2,C2,C	C,D	D		
68	A	A,B3	A,B3,B2,C2	B2,C2,C	C,D			
100	B3,B2	A,B3,B2,C2	B3,B2,C2,C	C2,C,V,D	D			
150	A,B3,B2,C2	B2,C2	C	V,D				
220	B3,B2,C2	B2,C	C,V,D	D				
330	B2,C	C,V	V,D					
470	B2,C,D	D	D					
680		D						

4. DIMENSION

【 J, P, A2 and A case 】



【 B3 and B2 case 】



【 C2,C,V and D case 】





Table.2

(Unit : mm)


Case Code	L	W1	W2	H	Z	Y
J	1.6±0.1	0.8±0.1	0.6±0.1	0.8±0.1	0.3±0.1	—
P	2.0±0.1	1.25±0.1	0.9±0.1	1.1±0.1	0.5±0.1	—
A2	3.2±0.2	1.6±0.2	1.2±0.1	1.1±0.1	0.8±0.2	—
A	3.2±0.2	1.6±0.2	1.2±0.1	1.6±0.1	0.8±0.2	—
B3	3.5±0.2	2.8±0.2	2.2±0.1	1.1±0.1	0.8±0.2	—
B2	3.5±0.2	2.8±0.2	2.2±0.1	1.9±0.2	0.8±0.2	—
C2	6.0±0.2	3.2±0.2	2.2±0.1	1.4±0.1	1.3±0.2	—
C	6.0±0.2	3.2±0.2	2.2±0.1	2.5±0.2	1.3±0.2	0.4C
V	7.3±0.2	4.3±0.2	2.4±0.1	1.9±0.1	1.3±0.2	—
D	7.3±0.2	4.3±0.2	2.4±0.1	2.8±0.2	1.3±0.2	0.4C

5. MARKINGS


【 J case(ex.:6.3V/4.7 μ F) 】




【 P case 】
(ex.:10V/1 μ F)




(ex.:6.3V/10 μ F)



【 A2,A case(ex.:6.3V/10 μ F) 】



【 B3,B2 case(ex.:6.3V/47 μ F) 】



【 C2,C,V,D case(ex.:6.3V/220 μ F) 】




Table.3

2005											
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮
2006											
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮

NOTE: Production date code will resume for beginning in 2007.

Table.4

UR μ F	2.5V	4V	6.3V	10V	16V
1				$\geq$	$\circ$
1.5				∇	
2.2			Γ	$<$	
3.3			$\neg$	A	
4.7			J	$\triangleright$	
6.8		G	$\angle$		
10	e	ω	$\bar{\Gamma}$		
15	ϕ				

Table.5

UR μ F	2.5V	4V	6.3V	10V	16V	20V	25V
0.33							
0.47					CS		
0.68					CW		
1				AA	CA		EA
1.5			JE	AE			
2.2				AJ	CJ	DJ	
3.3		GN		AN			
4.7			JS	AS			
6.8			JW				
10		G $\bar{A}$	J $\bar{A}$	A $\bar{A}$			
15		G $\bar{E}$	J $\bar{E}$				
22	e $\bar{J}$	G $\bar{J}$	J $\bar{J}$				
33	e $\bar{N}$	G $\bar{N}$					
47	e $\bar{S}$	G $\bar{S}$					


Table.6

Y \ M	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2005	A	B	C	D	E	F	G	H	J	K	L	M
2006	N	P	Q	R	S	T	U	V	W	X	Y	Z
2007	a	b	c	d	e	f	g	h	j	k	l	m
2008	n	p	q	r	s	t	u	v	w	x	y	z


NOTE: Production date code will resume for beginning in 2009.

6. PART NUMBERING SYSTEM



6.1 BULK



6.2 TAPE and REEL



7. PERFORMANCE CHARACTERISTICS

No.	ITEM		PERFORMANCE								TEST CONDITION
1	Operating Temperature Range		-55 to +125 deg.C								
2	Rated Voltage (V.dc)		2.5	4	6.3	10	16	20	25	35	
3	Derated Voltage (V.dc)		1.6	2.5	4	6.3	10	13	16	22	at 125deg.C
4	Surge Voltage (V.dc)		3.3	5.2	8	13	20	26	33	46	at 85deg.C
5	Capacitance (Cap.)		Refer to Standard Ratings. Within tolerance.								Frequency : 120 ±12Hz Voltage : 0.5Vrms+1.5 to 2 V.dc
6	Dissipation Factor (tanδ)		Refer to Standard Ratings								Rated voltage condition as No.5
7	Leakage Current (L.C)		0.01CV or 0.5μA whichever is greater								Rated voltage for 5 min 
8	Dimensions		Mechanical dimensions shall meet the requirement specified in " 4.DIMENSION ".								
9	Resistance to Solvents	Visual	There shall be evidence of mechanical damage. Marking shall be legible.								Expose to the following detergent for the duration 30±5sec. a) Isopropyl alcohol b) water
		ΔC/C	Within ±2% of initial value								
		D.F. (tanδ)	Shall not exceed the value in No.6								
		L.C	Shall not exceed the value in No.7								
10	Surge Voltage	ΔC/C	Refer to Standard Ratings								Temperature : 85±2deg.C Applied voltage : No.4 Series resistance : 33Ω Duration of surge : 30±5sec. Time between surge : 5.5min Number of cycle : 1,000 (test circuit) 
		D.F. (tanδ)	Shall not exceed the value in No.6								
		L.C	Shall not exceed the value in No.7								
		Visual	There shall be evidence of mechanical damage								


No.	ITEM	PERFORMANCE	TEST CONDITION
11	Temperature Stability	$\Delta C/C$ [J,P-case] 0, -20% [Others] * 0,-12%	Step 2 Perform preprocessing at 125deg.C for 30 minutes.
		D.F. (tan δ) Shall not exceed the value in No.6	
		$\Delta C/C$ [J,P-case] $\pm 5\%$ [Others] $\pm 3\%$	Step 3
		D.F. (tan δ) Shall not exceed the value in No.6	
		L.C. Shall not exceed the value in No.7	
		$\Delta C/C$ [J,P-case] +20, 0% [Others] * +10, 0%	Step 4
		D.F. (tan δ) Shall not exceed the value in No.6	
		L.C. 0.1CV or 5 μ A whichever is greater	
		$\Delta C/C$ [J,P-case] +20, 0% [Others] * +15, 0%	Step 5
		D.F. (tan δ) Shall not exceed the value in No.6	
		L.C. 0.125CV or 6.25 μ A whichever is greater	
		$\Delta C/C$ [J,P-case] $\pm 5\%$ [Others] $\pm 3\%$	Step 6
		D.F. (tan δ) Shall not exceed the value in No.6	
		L.C. Shall not exceed the value in No.7	
12	Resistance to Soldering Heat	$\Delta C/C$ Refer to Standard Ratings	Temperature : 260 $\pm$ 5deg.C Time(dipped) : 10 $\pm$ 0.5sec. Time(reflowed) : 10 $\pm$ 0.5sec. Reflow soldering : 2 times
		D.F. (tan δ) Shall not exceed the value in No.6	
		L.C. Shall not exceed the value in No.7	
		Visual There shall be no evidence of mechanical damage	
13	Solderability	Over 95% of the terminal surface shall be covered by a continuous new solder coating after as follows.	The flux shall be a solution containing 25% by weight of water white rosin and 75% by weight of methyl alcohol. Solder temp : 210 $\pm$ 5deg.C Immersion time : 2 $\pm$ 0.5sec.
14	Damp heat	$\Delta C/C$ Refer to Standard Ratings	Temperature : 60 $\pm$ 2deg.C Moisture : 90 to 95% R.H Duration : 21 days
		D.F. (tan δ) 150% of initial requirments	
		L.C. Shall not exceed the value in No.7	
		Visual There shall be no evidence of mechanical damage	

*Temperature Stability of $\Delta C/C$: B2 μ - λ /2.5V/330 μ F only see below.

Step2(-55°C) : 0~-20%

Step4(+85°C) : 0~+20%

Step5(+125°C): 0~+20%

No.	ITEM		PERFORMANCE	TEST CONDITION															
15	Vibration	Cap.	There should be no electrical discontinuity of 0.5 msec or longer Shall be stable for a period of measurment	IEC 68-2-6															
		Visual	There shall be no evidence of mechanical damage																
16	Terminal Strength		There shall be no evidence of mechanical damage.	Strength : 4.9N(0.5kgf) Time : 10±0.5sec. (two direction) 															
17	Rapid Change of Temperature	ΔC/C	Refer to Standard Ratings	Part shall be temperature cycle over a temperature range of -55 to +125deg.C, 5times continuously (continuous 5 cycle) as follows. <table border="1"><thead><tr><th>Step</th><th>Temp.</th><th>Time</th></tr></thead><tbody><tr><td>1</td><td>-55 ⁰/₋₃ °C</td><td>30±3 min.</td></tr><tr><td>2</td><td>room temp</td><td>3 min. MAX.</td></tr><tr><td>3</td><td>125 ⁺³/₀ °C</td><td>30±3 min.</td></tr><tr><td>4</td><td>room temp</td><td>3 min. MAX.</td></tr></tbody></table>	Step	Temp.	Time	1	-55 ⁰ / ₋₃ °C	30±3 min.	2	room temp	3 min. MAX.	3	125 ⁺³ / ₀ °C	30±3 min.	4	room temp	3 min. MAX.
		Step	Temp.		Time														
		1	-55 ⁰ / ₋₃ °C		30±3 min.														
		2	room temp		3 min. MAX.														
3	125 ⁺³ / ₀ °C	30±3 min.																	
4	room temp	3 min. MAX.																	
D.F. (tanδ)	Shall not exceed the value in No.6																		
L.C	Shall not exceed the value in No.7																		
Visual	There shall be no evidence of mechanical damage																		
18	Shock	ΔC/C	Refer to Standard Ratings	1000m/S ² (100G) , saw tooth wave															
		D.F. (tanδ)	Shall not exceed the value in No.6																
		L.C	Shall not exceed the value in No.7																
		Visual	There shall be no evidence of mechanical damage																
19	Standard Life Test	ΔC/C	Refer to Standard Ratings	Temperature : 85±2deg.C 125deg.C Duration : 2000 ⁺⁷² / ₀ Hr. Applied voltage : No.2(85deg.C) No.3(125deg.C) Series resistance : 3Ω															
		D.F. (tanδ)	Shall not exceed the value in No.6																
		L.C	Shall not exceed the value in No.7(1000H) [J,P-case] 200% of initial requirements (2000H) [Others] 125% of initial requirements (2000H)																
		Visual	There shall be no evidence of mechanical damage																
20	Failure Rate		1% / 1000H or below	It's the same as No.19															
21	Life	ΔC/C	Refer to Standard Ratings	Temperature : 125±5deg.C Duration : 1000Hr.															
		D.F. (tanδ)	Shall not exceed the value in No.6																
		L.C	Shall not exceed the value in No.7																

No.	ITEM		PERFORMANCE	TEST CONDITION
22	Reverse Voltage	$\Delta C/C$	Refer to Standard Ratings	Temperature : 85±2deg.C 125±2deg.C
		D.F. (tanδ)	Shall not exceed the value in No.6	Duration : 1000Hr.
		L.C	Shall not exceed the value in No.7	Applied voltage(85deg.C) : 0.05W.V or 1V whichever is greater
		Failure Rate	Shall not exceed the value in No.20	Applied voltage(125deg.C):0.03W.V or 0.6V whichever is greater

*1. Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests is as follows.

Ambient temperature : 5°C to 35 deg.C Relative humidity : 45% to 85%

If there may be any doubt on the results, measurements shall be made within the following limits.

Ambient temperature : 20°C±2 deg.C Relative humidity : 60% to 70%

8. TAPE AND REEL SPECIFICATION

8.1 Dimensions

Dimensions of carrier tape and reel is shown in Fig.

8.2 Leader and Trailer




Fig.2 leader and trailer

8.3 Polar Units

All components shall be oriented in one direction.




Fig.3 Polar Units

8.4 Peeling strength of Cover tape

Peeling strength (f) of Cover tape shall be 0.1 N to 0.6 N .




Fig.4 Peeling strength

8.5 Missing components

There shall be no missing components within the effective carrier tape.

8.6 Reel identification data

Each reel and shipping carton(s) shall be marked as follows.

- (1) Part number
- (2) Quantity
- (3) Lot number
- (4) Manufacturer's name or trademark


8.7 Tape and reel specification for inner box

There shall be same lot number of the product in the packing box. Reels with different lot number shall not be mixed in the same packing box.

Taping products shall be packed using the white surface cardboard packing box.

The stick point of the label is shown in the following figure.

If there is too much space between the packing box and the reel, prevent the reel from moving. The cushioning material shall not be used plastics (styrene foam, air cap, etc.). After the reels are encased, put the cover and secure it with a sticky tape or a rubber band. Tape and band isn't to be on the label.



Carrier tape width 8 mm:
max. 1 or 2 reels packing box
Carrier tape width 12 mm:
max. 1 reels packing box

Carrier tape width 8 mm:
max. 3 ~ 5 reels packing box
Carrier tape width 12 mm:
max. 2 ~ 6 reels or 11 reels packing box

9. Country of origin (Attachment - 1)

- (1) Japan
- (2) Thailand

10. Manufacturing process chart

Attachment - 2

• Carrier tape




Fig.5 Carrier tape

Table.7 Dimensions

(Unit: mm)

Case code	$A_0 \pm 0.2$	$B_0 \pm 0.2$	$W \pm 0.3$	$F \pm 0.05$	$E \pm 0.1$	$P_1 \pm 0.1$	$P_2 \pm 0.05$
J	1.0	1.8	8.0	3.5	1.75	4.0	2.0
P	1.4	2.2	8.0	3.5	1.75	4.0	2.0
A2	1.9	3.5	8.0	3.5	1.75	4.0	2.0
A	1.9	3.5	8.0	3.5	1.75	4.0	2.0
B3	3.2	3.8	8.0	3.5	1.75	4.0	2.0
B2	3.3	3.8	8.0	3.5	1.75	4.0	2.0
C2	3.7	6.4	12.0	5.5	1.75	8.0	2.0
C	3.7	6.4	12.0	5.5	1.75	8.0	2.0
V	4.6	7.7	12.0	5.5	1.75	8.0	2.0
D	4.8	7.7	12.0	5.5	1.75	8.0	2.0

Case code	$P_0 \pm 0.1$	$D_0 + 0.1 - 0$	D_1 min.	$K \pm 0.2$	T	Quantity/reel	
						$\phi 180$ reel	$\phi 330$ reel
J	4.0	$\phi 1.5$	—	1.1	0.2	4000 pcs	-
P	4.0	$\phi 1.5$	—	1.4	0.2	3000 pcs	-
A2	4.0	$\phi 1.5$	$\phi 1.0$	1.4	0.2	3000 pcs	10000 pcs
A	4.0	$\phi 1.5$	$\phi 1.0$	1.9	0.2	2000 pcs	9000 pcs
B3	4.0	$\phi 1.5$	$\phi 1.0$	1.4	0.2	3000 pcs	10000 pcs
B2	4.0	$\phi 1.5$	$\phi 1.0$	2.1	0.2	2000 pcs	5000 pcs
C2	4.0	$\phi 1.5$	$\phi 1.5$	1.7	0.3	1000 pcs	4000 pcs
C	4.0	$\phi 1.5$	$\phi 1.5$	3.0	0.3	500 pcs	2500 pcs
V	4.0	$\phi 1.5$	$\phi 1.5$	2.4	0.4	1000 pcs	3000 pcs
D	4.0	$\phi 1.5$	$\phi 1.5$	3.3	0.3	500 pcs	2500 pcs

• Reel




Fig.6 Reel




Table.8 Dimensions

(Unit: mm)

Reel	Tape width	A	N	C	D	E	W1	W2	R
180	8	$\phi 180^{+0}_{-3}$	$\phi 50\text{Min.}$	$\phi 13\pm 0.5$	$\phi 21\pm 0.5$	2.0 ± 0.5	9.0 ± 1.0	11.4 ± 1.0	1
	12	$\phi 180^{+0}_{-3}$	$\phi 50\text{Min.}$	$\phi 13\pm 0.5$	$\phi 21\pm 0.5$	2.0 ± 0.5	13.0 ± 1.0	15.4 ± 1.0	1
330	8	$\phi 330\pm 2$	$\phi 80\text{Min.}$	$\phi 13\pm 0.5$	$\phi 21\pm 1.0$	2.0 ± 0.5	10.0Max.	14.5Max.	1
	12	$\phi 330\pm 2$	$\phi 80\text{Min.}$	$\phi 13\pm 0.5$	$\phi 21\pm 1.0$	2.0 ± 0.5	14.0Max.	18.5Max.	1

11. STANDARD RATINGS

STANDARD RATINGS

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVJ0E106M8R	2.5	10	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0E156M8R	2.5	15	0.20	0.30	0.30	0.5	± 20	J
	TEESVP0E226M8R	2.5	22	0.20	0.30	0.30	0.5	± 20	P
	TEESVP0E336M8R	2.5	33	0.20	0.30	0.30	0.8	± 20	P
	TEESVP0E476M8R	2.5	47	0.30	0.60	0.40	1.1	± 20	P
	TEESVA20E226[]8R	2.5	22	0.12	0.20	0.14	0.5	± 12	A2
	TEESVA20E336[]8R	2.5	33	0.12	0.22	0.14	0.8	± 12	A2
	TEESVA20E476[]8R	2.5	47	0.12	0.22	0.14	1.1	± 12	A2
	TEESVA0E476[]8R	2.5	47	0.12	0.22	0.16	1.1	± 12	A
	TEESVA0E686[]8R	2.5	68	0.18	0.34	0.20	1.7	± 12	A
	TEESVA0E157[]8R	2.5	150	0.30	0.60	0.40	3.7	± 20	A
	TEESVB30E107[]8R	2.5	100	0.18	0.34	0.20	2.5	± 15	B3
	TEESVB30E157[]8R	2.5	150	0.20	0.40	0.30	3.7	± 15	B3
	TEESVB30E227[]8R	2.5	220	0.30	0.60	0.40	5.5	± 15	B3
	TEESVB20E107[]8R	2.5	100	0.08	0.14	0.10	2.5	± 12	B2
	TEESVB20E157[]8R	2.5	150	0.16	0.30	0.18	3.7	± 12	B2
	TEESVB20E227[]8R	2.5	220	0.18	0.34	0.20	5.5	± 12	B2
	TEESVB20E337[]8R	2.5	330	0.25	0.50	0.30	8.2	$\pm 12(\pm 20)$	B2
	TEESVB20E477[]8R	2.5	470	0.35	0.70	0.50	11.8	± 20	B2
	TEESVC20E157[]12R	2.5	150	0.12	0.26	0.18	3.7	± 12	C2
	TEESVC20E227[]12R	2.5	220	0.12	0.26	0.18	5.5	± 12	C2
	TEESVC0E337[]12R	2.5	330	0.16	0.34	0.18	8.2	± 12	C
	TEESVC0E477[]12R	2.5	470	0.18	0.34	0.20	11.7	± 12	C
	TEESVD0E477[]12R	2.5	470	0.14	0.18	0.16	11.7	± 12	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".
In case of Δ C/C, apply the value in brackets to "Life","Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVJ0G685M8R	4	6.8	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0G106M8R	4	10	0.20	0.30	0.30	0.5	± 20	J
	TEESVP0G335M8R	4	3.3	0.20	0.30	0.30	0.5	± 20	P
	TEESVP0G106M8R	4	10	0.20	0.30	0.30	0.5	± 20	P
	TEESVP0G156M8R	4	15	0.20	0.30	0.30	0.6	± 20	P
	TEESVP0G226M8R	4	22	0.20	0.30	0.30	0.8	± 20	P
	TEESVP0G336M8R	4	33	0.20	0.30	0.30	1.3	± 20	P
	TEESVP0G476M8R	4	47	0.30	0.60	0.40	1.8	± 20	P
	TEESVA20G226[]8R	4	22	0.12	0.22	0.16	0.8	± 12	A2
	TEESVA20G336[]8R	4	33	0.08	0.14	0.10	1.3	± 12	A2
	TEESVA20G476[]8R	4	47	0.15	0.30	0.20	1.8	± 12	A2
	TEESVA0G226[]8R	4	22	0.08	0.12	0.10	0.8	± 12	A
	TEESVA0G336[]8R	4	33	0.10	0.14	0.12	1.3	± 12	A
	TEESVA0G476[]8R	4	47	0.12	0.22	0.14	1.8	± 12	A
	TEESVA0G686[]8R	4	68	0.12	0.22	0.14	2.7	± 12	A
	TEESVA0G107[]8R	4	100	0.30	0.60	0.40	4.0	± 20	A
	TEESVB30G476[]8R	4	47	0.12	0.18	0.15	1.8	± 15	B3
	TEESVB30G686[]8R	4	68	0.15	0.28	0.17	2.7	± 15	B3
	TEESVB30G107[]8R	4	100	0.20	0.38	0.22	4.0	± 15	B3
	TEESVB20G107[]8R	4	100	0.12	0.22	0.14	4.0	± 12	B2
	TEESVB20G157[]8R	4	150	0.18	0.34	0.20	6.0	± 12	B2
	TEESVB20G227[]8R	4	220	0.18	0.34	0.20	8.8	± 12	B2
	TEESVC20G107[]12R	4	100	0.10	0.18	0.12	4.0	± 12	C2
	TEESVC20G157[]12R	4	150	0.10	0.18	0.12	6.0	± 12	C2
	TEESVC0G227[]12R	4	220	0.12	0.22	0.14	8.8	± 12	C
	TEESVC0G337[]12R	4	330	0.14	0.26	0.16	13.2	± 12	C
	TEESV0G337[]12R	4	330	0.12	0.18	0.14	13.2	± 12	V
	TEESVD0G477[]12R	4	470	0.16	0.30	0.18	18.8	± 12	D
	TEESVD0G687[]12R	4	680	0.24	0.46	0.26	27.2	± 12	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life", "Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

CSY - L - 8846

18
27

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVJ0J225M8R	6.3	2.2	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0J335M8R	6.3	3.3	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0J475M8R	6.3	4.7	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0J685M8R	6.3	6.8	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ0J106M8R	6.3	10	0.20	0.38	0.22	0.6	± 20	J
	TEESVP0J155M8R	6.3	1.5	0.10	0.15	0.15	0.5	± 20	P
	TEESVP0J475M8R	6.3	4.7	0.20	0.30	0.30	0.5	± 20	P
	TEESVP0J685M8R	6.3	6.8	0.20	0.30	0.30	0.5	± 20	P
	TEESVP0J106M8R	6.3	10	0.20	0.30	0.30	0.6	± 20	P
	TEESVP0J156M8R	6.3	15	0.20	0.30	0.30	0.9	± 20	P
	TEESVP0J226M8R	6.3	22	0.20	0.38	0.22	1.3	± 20	P
	TEESVA20J685[]8R	6.3	6.8	0.08	0.12	0.10	0.5	± 12	A2
	TEESVA20J106[]8R	6.3	10	0.08	0.12	0.10	0.6	± 12	A2
	TEESVA20J156[]8R	6.3	15	0.12	0.22	0.14	0.9	± 12	A2
	TEESVA20J226[]8R	6.3	22	0.12	0.22	0.14	1.3	± 12	A2
	TEESVA20J336[]8R	6.3	33	0.18	0.34	0.20	2.0	± 20	A2
	TEESVA0J475[]8R	6.3	4.7	0.08	0.12	0.10	0.5	$\pm 5(\pm 10)$	A
	TEESVA0J106[]8R	6.3	10	0.08	0.12	0.10	0.6	± 12	A
	TEESVA0J156[]8R	6.3	15	0.08	0.12	0.10	0.9	± 12	A
	TEESVA0J226[]8R	6.3	22	0.10	0.14	0.12	1.3	± 12	A
	TEESVA0J336[]8R	6.3	33	0.12	0.22	0.14	2.0	± 12	A
	TEESVA0J476[]8R	6.3	47	0.12	0.22	0.14	2.9	± 12	A
	TEESVA0J686[]8R	6.3	68	0.30	0.60	0.40	4.2	± 12	A
	TEESVB30J226[]8R	6.3	22	0.08	0.12	0.10	1.3	± 15	B3
	TEESVB30J336[]8R	6.3	33	0.12	0.18	0.15	2.0	± 15	B3
	TEESVB30J476[]8R	6.3	47	0.12	0.18	0.15	2.9	± 15	B3
	TEESVB30J686[]8R	6.3	68	0.20	0.38	0.22	4.2	± 15	B3
	TEESVB30J107[]8R	6.3	100	0.20	0.38	0.22	6.3	± 15	B3
	TEESVB20J106[]8R	6.3	10	0.08	0.12	0.10	0.6	$\pm 5(\pm 10)$	B2
	TEESVB20J226[]8R	6.3	22	0.08	0.12	0.10	1.3	$\pm 5(\pm 10)$	B2
	TEESVB20J476[]8R	6.3	47	0.08	0.12	0.10	2.9	$\pm 5(\pm 10)$	B2
	TEESVB20J686[]8R	6.3	68	0.10	0.18	0.12	4.2	± 12	B2
	TEESVB20J107[]8R	6.3	100	0.12	0.22	0.14	6.3	± 12	B2
	TEESVC20J686[]12R	6.3	68	0.10	0.14	0.12	4.2	± 12	C2
	TEESVC20J107[]12R	6.3	100	0.10	0.18	0.12	6.3	± 12	C2
	TEESVC0J476[]12R	6.3	47	0.08	0.12	0.10	2.9	$\pm 5(\pm 10)$	C
	TEESVC0J107[]12R	6.3	100	0.10	0.14	0.12	6.3	± 12	C
	TEESVC0J157[]12R	6.3	150	0.10	0.18	0.12	9.4	± 12	C
	TEESVC0J227[]12R	6.3	220	0.14	0.26	0.16	13.8	± 12	C
	TEESVV0J227[]12R	6.3	220	0.12	0.18	0.14	13.8	± 12	V
	TEESVV0J337[]12R	6.3	330	0.14	0.26	0.16	20.7	± 20	V
	TEESVD0J227[]12R	6.3	220	0.12	0.18	0.14	13.8	± 12	D
	TEESVD0J337[]12R	6.3	330	0.14	0.26	0.16	20.7	± 12	D
	TEESVD0J477[]12R	6.3	470	0.20	0.38	0.22	29.6	± 20	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".
In case of Δ C/C, apply the value in brackets to "Life","Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVJ1A105M8R	10	1	0.10	0.30	0.15	0.5	± 20	J
	TEESVJ1A155M8R	10	1.5	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ1A225M8R	10	2.2	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ1A335M8R	10	3.3	0.20	0.30	0.30	0.5	± 20	J
	TEESVJ1A475M8R	10	4.7	0.20	0.30	0.30	0.5	± 20	J
	TEESVP1A105M8R	10	1	0.10	0.15	0.15	0.5	± 20	P
	TEESVP1A155M8R	10	1.5	0.20	0.30	0.30	0.5	± 20	P
	TEESVP1A225M8R	10	2.2	0.20	0.30	0.30	0.5	± 20	P
	TEESVP1A335M8R	10	3.3	0.20	0.30	0.30	0.5	± 20	P
	TEESVP1A475M8R	10	4.7	0.20	0.30	0.30	0.5	± 20	P
	TEESVP1A106M8R	10	10	0.20	0.30	0.30	1.0	± 20	P
	TEESVA21A335[]8R	10	3.3	0.08	0.12	0.10	0.5	± 12	A2
	TEESVA21A475[]8R	10	4.7	0.08	0.12	0.10	0.5	± 12	A2
	TEESVA21A685[]8R	10	6.8	0.08	0.12	0.10	0.6	± 12	A2
	TEESVA21A106[]8R	10	10	0.08	0.12	0.10	1.0	± 12	A2
	TEESVA21A156[]8R	10	15	0.12	0.22	0.14	1.5	± 12	A2
	TEESVA1A475[]8R	10	4.7	0.08	0.12	0.10	0.5	± 12	A
	TEESVA1A685[]8R	10	6.8	0.08	0.12	0.10	0.6	± 12	A
	TEESVA1A106[]8R	10	10	0.08	0.12	0.10	1.0	± 12	A
	TEESVA1A226[]8R	10	22	0.12	0.22	0.14	2.2	± 12	A
	TEESVB31A156[]8R	10	15	0.08	0.12	0.10	1.5	± 15	B3
	TEESVB31A226[]8R	10	22	0.08	0.12	0.10	2.2	± 15	B3
	TEESVB31A336[]8R	10	33	0.12	0.18	0.15	3.3	± 15	B3
	TEESVB21A106[]8R	10	10	0.08	0.12	0.10	1.0	$\pm 5(\pm 10)$	B2
	TEESVB21A226[]8R	10	22	0.08	0.12	0.10	2.2	$\pm 5(\pm 10)$	B2
	TEESVB21A336[]8R	10	33	0.08	0.12	0.10	3.3	$\pm 5(\pm 10)$	B2
	TEESVB21A476[]8R	10	47	0.08	0.12	0.10	4.7	± 12	B2
	TEESVB21A686[]8R	10	68	0.12	0.14	0.14	6.8	± 12	B2
	TEESVC21A476[]12R	10	47	0.08	0.14	0.10	4.7	± 12	C2
	TEESVC21A686[]12R	10	68	0.10	0.18	0.14	6.8	± 12	C2
	TEESVC21A107[]12R	10	100	0.10	0.18	0.14	10.0	± 12	C2
	TEESVC1A476[]12R	10	47	0.08	0.12	0.10	4.7	$\pm 5(\pm 10)$	C
	TEESVC1A686[]12R	10	68	0.08	0.12	0.10	6.8	± 12	C
	TEESVC1A107[]12R	10	100	0.10	0.18	0.12	10.0	± 12	C
	TEESVV1A107[]12R	10	100	0.08	0.18	0.10	10.0	± 12	V
	TEESVV1A157[]12R	10	150	0.08	0.18	0.10	15.0	± 12	V
	TEESVD1A107[]12R	10	100	0.08	0.18	0.10	10.0	$\pm 5(\pm 10)$	D
	TEESVD1A157[]12R	10	150	0.10	0.18	0.12	15.0	± 12	D
	TEESVD1A227[]12R	10	220	0.12	0.22	0.14	22.0	± 12	D

To complete Part number , insert capacitance tolerance ("M"= $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life", "Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVJ1C105M8R	16	1	0.10	0.30	0.15	0.5	± 20	J
	TEESVP1C474M8R	16	0.47	0.10	0.15	0.15	0.5	± 20	P
	TEESVP1C684M8R	16	0.68	0.10	0.15	0.15	0.5	± 20	P
	TEESVP1C105M8R	16	1	0.10	0.15	0.15	0.5	± 20	P
	TEESVP1C225M8R	16	2.2	0.10	0.15	0.15	0.5	± 20	P
	TEESVA21C225[J8R	16	2.2	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA21C335[J8R	16	3.3	0.08	0.14	0.10	0.5	± 12	A2
	TEESVA21C475[J8R	16	4.7	0.08	0.14	0.10	0.7	± 12	A2
	TEESVA1C155[J8R	16	1.5	0.04	0.08	0.06	0.5	$\pm 5(\pm 10)$	A
	TEESVA1C225[J8R	16	2.2	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A
	TEESVA1C335[J8R	16	3.3	0.06	0.10	0.08	0.5	± 12	A
	TEESVA1C475[J8R	16	4.7	0.06	0.10	0.08	0.7	± 12	A
	TEESVA1C685[J8R	16	6.8	0.06	0.10	0.08	1.0	± 12	A
	TEESVA1C106[J8R	16	10	0.08	0.12	0.10	1.6	± 12	A
	TEESVA1C156[J8R	16	15	0.12	0.22	0.14	2.4	± 12	A
	TEESVB31C685[J8R	16	6.8	0.06	0.10	0.08	1.0	± 15	B3
	TEESVB31C106[J8R	16	10	0.08	0.14	0.10	1.6	± 15	B3
	TEESVB31C226[J8R	16	22	0.10	0.18	0.12	3.5	± 15	B3
	TEESVB21C106[J8R	16	10	0.06	0.10	0.08	1.6	$\pm 5(\pm 10)$	B2
	TEESVB21C156[J8R	16	15	0.06	0.10	0.08	2.4	$\pm 5(\pm 10)$	B2
	TEESVB21C226[J8R	16	22	0.06	0.10	0.08	3.5	$\pm 5(\pm 10)$	B2
	TEESVB21C336[J8R	16	33	0.08	0.14	0.10	5.2	$\pm 5(\pm 10)$	B2
	TEESVC21C336[J12R	16	33	0.06	0.10	0.08	5.2	± 12	C2
	TEESVC1C226[J12R	16	22	0.06	0.10	0.08	3.5	$\pm 5(\pm 10)$	C
	TEESVC1C336[J12R	16	33	0.06	0.10	0.08	5.2	$\pm 5(\pm 10)$	C
	TEESVC1C476[J12R	16	47	0.06	0.10	0.08	7.5	± 12	C
	TEESVC1C686[J12R	16	68	0.06	0.16	0.10	10.8	± 12	C
	TEESVD1C226[J12R	16	22	0.06	0.10	0.08	3.5	$\pm 5(\pm 10)$	D
	TEESVD1C476[J12R	16	47	0.06	0.10	0.08	7.5	$\pm 5(\pm 10)$	D
	TEESVD1C686[J12R	16	68	0.06	0.10	0.08	10.8	$\pm 5(\pm 10)$	D
	TEESVD1C107[J12R	16	100	0.08	0.18	0.10	16.0	± 12	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K" = $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life", "Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVP1D225M8R	20	2.2	0.10	0.15	0.15	0.5	± 20	P
	TEESVA21D474[J8R	20	0.47	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A2
	TEESVA21D684[J8R	20	0.68	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A2
	TEESVA21D105[J8R	20	1	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA21D155[J8R	20	1.5	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA21D225[J8R	20	2.2	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA21D335[J8R	20	3.3	0.08	0.14	0.10	0.6	± 12	A2
	TEESVA21D475[J8R	20	4.7	0.15	0.30	0.20	0.9	± 12	A2
	TEESVA1D225[J8R	20	2.2	0.06	0.10	0.08	0.5	± 12	A
	TEESVA1D335[J8R	20	3.3	0.06	0.10	0.08	0.6	± 12	A
	TEESVA1D475[J8R	20	4.7	0.06	0.10	0.08	0.9	± 12	A
	TEESVB31D335[J8R	20	3.3	0.06	0.10	0.08	0.6	± 15	B3
	TEESVB31D475[J8R	20	4.7	0.06	0.10	0.08	0.9	± 15	B3
	TEESVB31D685[J8R	20	6.8	0.06	0.10	0.08	1.3	± 15	B3
	TEESVB21D475[J8R	20	4.7	0.06	0.10	0.08	0.9	$\pm 5(\pm 10)$	B2
	TEESVB21D685[J8R	20	6.8	0.06	0.10	0.08	1.3	$\pm 5(\pm 10)$	B2
	TEESVB21D106[J8R	20	10	0.06	0.10	0.08	2.0	$\pm 5(\pm 10)$	B2
	TEESVC21D226[J12R	20	22	0.06	0.10	0.08	4.4	± 12	C2
	TEESVC1D156[J12R	20	15	0.06	0.10	0.08	3.0	$\pm 5(\pm 10)$	C
	TEESVC1D226[J12R	20	22	0.06	0.10	0.08	4.4	± 12	C
	TEESVD1D226[J12R	20	22	0.06	0.10	0.08	4.4	$\pm 5(\pm 10)$	D
	TEESVD1D336[J12R	20	33	0.06	0.10	0.08	6.6	$\pm 5(\pm 10)$	D
	TEESVD1D476[J12R	20	47	0.06	0.10	0.08	9.4	$\pm 5(\pm 10)$	D

To complete Part number , insert capacitance tolerance ("M" $\pm 20\%$, or "K" $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life", "Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVP1E105M8R	25	1	0.06	0.10	0.08	0.5	± 20	P
	TEESVA21E105[]8R	25	1	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA1E474[]8R	25	0.47	0.04	0.08	0.06	0.5	$\pm 5(\pm 10)$	A
	TEESVA1E684[]8R	25	0.68	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A
	TEESVA1E105[]8R	25	1	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A
	TEESVA1E225[]8R	25	2.2	0.06	0.10	0.08	0.5	± 12	A
	TEESVA1E335[]8R	25	3.3	0.06	0.10	0.08	0.8	± 12	A
	TEESVB31E475[]8R	25	4.7	0.06	0.10	0.08	1.1	± 15	B3
	TEESVB21E335[]8R	25	3.3	0.06	0.10	0.08	0.8	$\pm 5(\pm 10)$	B2
	TEESVB21E475[]8R	25	4.7	0.06	0.10	0.08	1.1	$\pm 5(\pm 10)$	B2
	TEESVC21E106[]12R	25	10	0.06	0.10	0.08	2.5	± 12	C2
	TEESVC1E106[]12R	25	10	0.06	0.10	0.08	2.5	$\pm 5(\pm 10)$	C
	TEESVC1E156[]12R	25	15	0.06	0.10	0.08	3.7	± 12	C
	TEESVD1E226[]12R	25	22	0.06	0.10	0.08	5.5	$\pm 5(\pm 10)$	D
	TEESVD1E336[]12R	25	33	0.06	0.10	0.08	8.2	$\pm 5(\pm 10)$	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life","Standard Life Test" and "Reverse voltage".

STANDARD RATINGS(Continued)

Part number	NEC TOKIN Part number	Volt. (v.dc)	Cap. (μ F)	tan δ			L.C. (μ A)	Δ C/C (%)	Case Code
				+20,+85 deg.C	-55 deg.C	+125 deg.C			
	TEESVA21V105[J8R	35	1	0.06	0.10	0.08	0.5	± 12	A2
	TEESVA1V474[J8R	35	0.47	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A
	TEESVA1V684[J8R	35	0.68	0.06	0.10	0.08	0.5	$\pm 5(\pm 10)$	A
	TEESVA1V105[J8R	35	1	0.06	0.10	0.08	0.5	± 12	A
	TEESVA1V155[J8R	35	1.5	0.06	0.10	0.08	0.5	± 12	A
	TEESVA1V225[J8R	35	2.2	0.06	0.10	0.08	0.7	± 12	A
	TEESVB31V335[J8R	35	3.3	0.06	0.10	0.08	1.1	± 15	B3
	TEESVB21V225[J8R	35	2.2	0.06	0.10	0.08	0.7	$\pm 5(\pm 10)$	B2
	TEESVB21V335[J8R	35	3.3	0.06	0.10	0.08	1.1	$\pm 5(\pm 10)$	B2
	TEESVC1V475[J12R	35	4.7	0.06	0.10	0.08	1.6	$\pm 5(\pm 10)$	C
	TEESVC1V685[J12R	35	6.8	0.06	0.10	0.08	2.3	$\pm 5(\pm 10)$	C
	TEESVC1V106[J12R	35	10	0.06	0.10	0.08	3.5	$\pm 5(\pm 10)$	C
	TEESVD1V106[J12R	35	10	0.06	0.10	0.08	3.5	$\pm 5(\pm 10)$	D
	TEESVD1V156[J12R	35	15	0.06	0.10	0.08	5.2	$\pm 5(\pm 10)$	D

To complete Part number , insert capacitance tolerance ("M" = $\pm 20\%$, or "K"= $\pm 10\%$) in blank "[]".

In case of Δ C/C, apply the value in brackets to "Life","Standard Life Test" and "Reverse voltage".

12. Notes of Using the Solid Tantalum Capacitor

About 90% of the failure mode of the solid tantalum capacitor is short circuits.

In the case of short circuit, the tantalum capacitor is heated and may generate fire and be burned.

Please take surplus for the operating condition.

12.1 Reliability

The reliability of the solid tantalum capacitor is heavily influenced by environmental conditions such as temperature, humidity, shock, vibration, mechanical stresses, and electric stresses including applied voltage, current, ripple current, transient current and voltage, and frequency. when using solid tantalum capacitors, therefore, provide enough margin to these conditions, so that the reliability of the capacitors is maintained. Voltage and temperature are important parameters when estimating the reliability (field failure rate). The field failure rate of a solid tantalum capacitor can be calculated by the following expression if emphasis is placed only on the voltage and temperature:

The failure rate of solid tantalum capacitors depend on voltage and temperature. Calculate the failure rate for following approximate formula.

$$\lambda = \lambda_0 (V / V_0)^{3.2} (T - T_0) / 10$$

λ : The approximate failure rate of actual condition

λ_0 : The basic failure rate of rated voltage [1%/1000h]

T : Temperature of around (deg.C)

V : Working voltage of actual condition (peak of ripple)

T_0 : 85deg.C

V_0 : Rated voltage



12.2 Ripple Voltage

- The sum of DC voltage and peak ripple voltage should not exceed the DC rated voltage of capacitor.
- If you give ripple voltage, you must be lower than the value of following figure. In temperature higher than 85deg.C, permissible ripple voltage shall be derated as follows.

$$E \text{ MAX. (at 50 deg.C) } = 0.7 \times E \text{ MAX. (at 25 deg.C)}$$

$$E \text{ MAX. (at 85 deg.C) } = 0.5 \times E \text{ MAX. (at 25 deg.C)}$$

$$E \text{ MAX. (at 125 deg.C) } = 0.3 \times E \text{ MAX. (at 25 deg.C)}$$



12.3 Reverse Voltage

Because the solid tantalum capacitor is of polar type, do not apply a reverse voltage to it. If reverse voltage cannot be avoided, it must be applied for short time and must not exceed the following values:

25deg.C		10% of Rated Voltage or 3 V.dc, whichever is smaller
85deg.C		5% of Rated Voltage
125deg.C		1% of Rated Voltage

12.4 Applied Voltage

For general applications, apply 70% or less of the rated voltage to the capacitor. When the capacitor is used in a power line or a low-impedance circuit, keep the applied voltage to within 30% (50% max.) of rated voltage to avoid the adverse influence of inrush current.

12.5 When you touch the terminal of the capacitor by tester probe, you should attend to voltage and polarity of tester probe.

12.6 Soldering

(1) Soldering condition

- Dip soldering

Temperature of solder bath		260deg.C MAX.
Time of dipping		5 sec. MAX.
- Reflow Soldering (Hot blow soldering, Hot plate soldering)

Temperature of solder oven		260deg.C MAX.
Temperature of plate		260deg.C MAX.
Time		10 sec. MAX.
- Using soldering iron

Temperature of iron		350deg.C MAX.
Time		3 sec. MAX.
Iron power		30 W. MAX.

Please adjust soldering condition to connect soldering contact following.

- (2) You should make a soldering temperature profile with smooth temperature rise and down. You should preheat (at 150deg.C MAX.) before rising to soldering temperature.
- (3) Use rosin-based flux.
- (4) Be careful about print pattern size. If pattern is too big, the capacitor may move in reflow soldering.
- (5) Please call us if you make many soldering cycle or use special soldering.
- (6) In the case of dip soldering, solderability may be inferior for density of components on the board. You may take generation of flux gas into consideration.

12.7 If you use ultrasonic cleaning, be careful to design bath size without capacitors damage by ultrasonic shock.

Attachment - 1 The difference of a made in Thailand from a made in Japan

Label

NEC TOKIN CAPACITORS			
PART NO.			
TEESVA20J106M8R			

TEMSVA20J106M8R			
NRU106M06R8			
RATING	Cap	Tol	Volt
	10 μ F	$\pm 20\%$	6.3 V
LOT NO.		QTY	
6A11T0389		3000	
REMARKS			
PB-FREE			
MADE IN THAILAND			


Made in Thailand

NEC TOKIN				CAPACITORS	
PART NO.					
TEESVA20J106M8R					
TEMSVA20J106M8R					
NRU106M06R8					
RATING		Cap	Tol	Volt	
		10 μ F	$\pm 20\%$	6.3 V	
LOT NO.			QTY		
6A3592			3000		
REMARKS					
PB-FREE					
MADE IN JAPAN					

Made in Japan

They are the same contents as the 1st column in case of "J" or "P".

NEC TOKIN Corporation Toyama Operations and NEC TOKIN Electronics (Thailand) will add "PB-FREE" of black color ink on the remarks column in the reel label and the Die cut box label.



Attachment - 2 Manufacturing process chart

	Japan	Thailand
Powder Mixing	Toyama Operations	NEC TOKIN Electronics (Thailand) CO.,Ltd.
Pressing		
Vacuum Sintering		
Pellet Assembly		
Anodization		
MnO ₂ Formation		
Graphite Baking		
Conductive Layer Formation		
Anode/Cathode connection		
Molding		
Marking		
Burn-In		
Lead Forming		
Characteristic testing		
Inspection (I)		
Taping		
Inspection (II)		
Stock-In		
Packaging		
Shipping		